

85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

> > (516) 935-4000

SAFETY DATA SHEET: EXTRACTOR

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 APPLICABLE PART #: PC22141GL, PC22141QT, PC22145GL

1.2 IDENTITY: **EXTRACTOR**

1.3 INTENDED USE: CARPET CLEANING COMPOUND VIA WET / VAC MACHINE

1.4 SUPPLIER: Universal Photonics, Inc. FOR INFORMATION CALL

85 Jetson Lane

Central Islip NY 11722 DATE PREPARED: October 13, 2016

CUSTOMER SERVICE:

1.5 EMERGENCY TELEPHONE NUMBER: 1.866.519.4752 3-E COMPANY - ACCT # 3665

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF SUBSTANCE: **Cleaning Compound** 2.2 GHS LABEL ELEMENTS: HAZARD PICTOGRAM: **WARNING** HAZARD SYMBOL: SIGNAL WORD: **WARNING** H315 - Causes skin irritation HAZARD STATEMENTS: H318 - Causes serious eye damage H335- May cause respiratory irritation P233 - Keep container tightly closed PRECAUTIONARY STATEMENTS: P262 - Do not get in eyes, on skin, or on clothing P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/eye protection/protective clothing PREVENTION: Wear protective gloves. Wear eye protection to include splash goggles. Wear protective clothing. Use with ventilation. Wash hands after handling. RESPONSE: In the event of skin, eye, respiratory contact or ingestion, seek medical

attention immediately.



WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

STORAGE: DISPOSAL: 2.3 HAZARDS NOT OTHERWISE CLASSIFIED: 2.4 UNKNOWN ACUTE TOXICITY:		Keep container tightly closed when not in use. Do not return spent material back to original container.							
		Dispose of waste in accordance with all regulatory agencies. None known None known							
						SECTION 3:	COMPOSITION INFORMATION	N	
						Г	COMPONENTS	CAS#	WEIGHT %
_	Sodium Metasilicate	6834-92-0	0.5						
	Trade Secret Information *	N/A	99.5						
4.1 DESCRIPTION SKIN:	OF FIRST AID MEASURES:	Remove soiled clothing and flo	ush with soap and water.						
EYES:		Flush with water for 20 minutes and immediately seek medical attention							
INHALATION:		Administer fresh air or oxygen.							
INGESTION:		Do not induce vomiting. Immediately seek medical attention urgently. Maintain an open airway.							
4.2 Most Import	ANT SYMPTOMS / EFFECTS, ACUTE & DELA	AYED:							
SKIN CONTACT:		Will cause moderate irritation & defatting.							
EYE CONTACT:		Will cause moderate irritation	& tissue burns upon direct contact.						
INHALATION:		Breathing high concentrations may irritate nose and throat.							
INGESTION:		Will cause serious gastric disturbances.							
ENVIRONMENT:		None known.							
CHRONIC:		None known							



SECTION 5: FIRE FIGHTING MEASURES

6.2 ENVIRONMENTAL PRECAUTIONS:

SMALL SPILL:

LARGE SPILL:

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP:

85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

Immediately contact physician for further medical advice.

5.1 EXTINGUISHING MEDIA:						
SUITABLE EXTINGUISHING MEDIA:	Water spray, foam, dry chemical, CO ₂					
Unsuitable Extinguishing Media:	None Known					
5.2 SPECIFIC HAZARDS ARISING FROM THE MIXTURE:						
FIRE HAZARD:	None					
EXPLOSION HAZARD:	None					
REACTIVITY:	None					
EXPOSURE HAZARDS:	Oxides of carbon.					
Unusual Fire/Explosion Hazard:	None					
5.3 SPECIAL PROTECTIVE EQUIPMENT:	Wear full protective safety equipment as standard practice.					
SECTION 6: ACCIDENTAL RELEASE MEASU	RES					
6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:						
Non-Emergency Personnel:	Wear appropriate personal protection equipment (PPE). Avoid contact with skin & eyes. Do not walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.					
EMERGENCY RESPONDERS:	Take note of any special instructions in Section 8.					

Do not introduce material directly into natural waterways such as rivers,

Stop leak if safe to do so. Use inert absorbent material and dispose in

proper chemical waste container or to approved waste treatment areas.

Stop leak if safe to do so, Approach release from upwind. Prevent entry into sewers or natural waterways. Contain and collect with inert absorbent material and place in container for disposal according to local regulations (See Section 13). Dispose via a licensed waste disposal contractor.

lakes, streams, etc. or drains & sewers.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

6.4 REFERENCE TO OTHER SECTIONS: See Section 8, Exposure Controls & Personal Protection

SECTION 7: HANDLING & STORAGE

7.1 Precautions For Safe Handling: Use recognized standard safety practices. Handle with care to avoid

contact.

7.2 CONDITIONS FOR SAFE STORAGE: When not in use, keep closure on container closed. Store indoors. Keep

away from heat and freezing conditions.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS: Not Applicable 8.2 EXPOSURE CONTROLS: General ventilation to control worker exposure to airborne contaminants. **CONTROL PARAMETERS:** Ensure that emergency eyewash stations are in the immediate vicinity of any potential exposure. **ENGINEERING CONTROLS:** If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust or other engineering controls to keep worker exposure below any recommended or statutory limits. PERSONAL PROTECTIVE CONTROLS: HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling product. Remove contaminated clothing and wash before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. SKIN PROTECTION: Chemical resistant, impervious gloves are recommended if exposure is prolonged - Neoprene type. Personal protective clothing for the body should be selected based upon the task being performed. Avoid eye contact. Protective safety eyewear goggles are recommended EYES: if to avoid exposure to liquid splashes, mists, and dusts or when working on overhead structures if direct contact is evident. Should vapors exceed PEL, wear NIOSH approved dust & organic vapor RESPIRATORY: respirator.





8.3 Personal Protective Equipment (PPE):



N-OCTANOL / WATER:

85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES PHYSICAL STATE: Liquid Green COLOR: Mild ODOR: Not determined **ODOR THRESHOLD** 12.2 - 12.5PH: Soluble in water SOLUBILITY: None FLASH POINT: None LOWER FLAMMABLE LIMIT: None UPPER FLAMMABLE LIMIT: **AUTOIGNITION TEMPERATURE:** Not applicable **DECOMPOSITION TEMPERATURE:** Not applicable FLAMMABILITY: Not applicable 1.06 at 25°C SPECIFIC GRAVITY: BOILING POINT (°F): 212 °F 18 at 20°C VAPOR PRESSURE: Greater than 1 (Air = 1) VAPOR DENSITY: MELTING POINT (°F): Not applicable Not applicable FREEZING POINT: Less than 1 (Butyl Acetate = 1) **EVAPORATION RATE:** VISCOSITY: Not applicable PARTITION COEFFICIENT

Not Determined



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY:	None
10.2 CHEMICAL STABILITY:	Stable
10.3 HAZARDOUS REACTIONS:	None
HAZARDOUS POLYMERIZATION:	None
10.4 CONDITIONS TO AVOID:	None
10.5 Incompatible Materials:	Strong acid, alkali, oxidizing agents
10.6 HAZARDOUS DECOMPOSITION OF PRODUCTS:	Oxides of carbon
SECTION 11: TOXICOLOGICAL INFORMAT	ION
NOTE:	Primary route of entry is through skin with secondary route to eyes.
11.1 Information On Toxicological Effects:	
ACUTE TOXICITY:	Not classified
LD ₅₀ :	
SKIN:	Not established
INHALATION:	Not established
INGESTION:	Not established
11.2 POTENTIAL ACUTE HEALTH EFFECTS:	
SKIN:	Possible irritation and drying during prolonged contact
EYES:	Will cause moderate to serious irritation and cornea damage upon direct contact
RESPIRATORY:	May irritate nose & throat if sprayed or misted
INGESTION:	Will cause serious gastric disturbances
SYMPTOMS AFTER CONTACT:	
SKIN:	Irritation, dryness, redness



EYES:

85 JETSON LANE, CENTRAL ISLIP, NEW YORK 11722 516.935.4000 FAX 516.935.4039

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

Pain, watering, burning, redness, moderate irritation

RESPIRATORY: Irritation, asth	matic systems, dizziness
INGESTION: Stomach pain	, gastric disturbances
11.3 CHRONIC HEALTH EFFECTS: No known sign	nificant effects or critical hazards
11.4 CARCINOGENICITY:	
NTP: None	
IARC: None	
OSHA: None	
SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY: Not known.	
12.2 PERSISTENCE & DEGRADABILITY: Not considere	d to be a waste or environmental hazard. Biodegradable.
12.3 BIOACCUMULATIVE POTENTIAL: Not known	
12.4 MOBILITY IN SOIL: Not known	
12.5 OTHER ADVERSE EFFECTS: No known sig	nificant effects or critical hazards
SECTION 13: DISPOSAL INFORMATION	

13.1 WASTE TREATMENT METHODS:

For small spills, contain all residues with inert absorbent material and dispose in chemical recycle container. For large spills, stop leak if safe to do so. Approach release from upwind. Dyke or dam area and vacuum all wet areas for recycle by a licensed waste disposal contractor. Avoid contact with soil, waterways, drains, and sewers unless such drains & sewers are fully compliant with the requirements of all authorities for disposal. Consult all Federal, State, & Local Regulatory authorities for proper disposal.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

SECTION 14: TRANSPORTATION INFORMATION

REGULATORY	UN	PROPER	PROPER SHIPPING NAME CLASSES	PACKING GROUP	LABEL
INFORMATION	Number	SHIPPING NAME		FACKING GROUP	LABEL
DOT	Not applicable	Not	Not	Not	None
CLASSIFICATION		applicable	applicable	applicable	
TDG	Not applicable	Not	Not	Not	None
CLASSIFICATION		applicable	applicable	applicable	
ADR/RID	Not applicable	Not	Not	Not	None
CLASS	Not applicable	applicable	applicable	applicable	
IMDG CLASS	Not applicable	Not	Not	Not	None
IIVIDG CLASS		applicable	applicable	applicable	
IATA DOD	Not applicable	Not	Not	Not	None
IATA-DGR		applicable	applicable	applicable	

SECTION 15: REGULATORY INFORMATION

15.1 U.S. FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION STANDARD: Non-regulated

TSCA Non-regulated

SARA (302/304): Non-regulated

SARA (311/312): Non-regulated

SARA TITLE III: This product contains the following chemicals subject to the reporting

requirements of Section 313: NONE

OTHER REGULATORY STANDARDS: Not regulated per 29 CFR 1900.1000 - 1500, 40 CFR PART 261.3, 302.4,

355, 370, 372

15.2 STATE REGULATIONS: Non-regulated

15.3 INTERNATIONAL REGULATIONS: Non-regulated per EINECS / ELINCS / DSL / NDSL / IECSC / ENS / ECL /

PICCS



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

SAFETY DATA SHEET: EXTRACTOR

SECTION 16: OTHER INFORMATION

HMIS RATING: Health 2, Flammability 0, Reactivity 0, Personal Protection B.

Health 2, Flammability 0, Reactivity 0



DEFINITIONS:

NFPA RATING:

DOT - Department of Transportation

GHS - The Globally Harmonized System of Classification and Labeling of Chemicals

HMIS – Hazardous Materials Identification System

NIOSH - National Institute for Occupational Safety and Health

NORM - Natural Occurring Radioactive Materials

IATA - International Air Transportation Association

IMO – International Maritime Organization

OSHA - Occupational Safety & Health Administration

TSCA – Toxic Substance Control Act

SDS Revision #:3

DISCLAIMER

THIS SDS IS OFFERED IN GOOD FAITH WITHOUT WARANTY OR REPRESENTATION SOLELY FOR THE BUYER'S USE IN THE EVALUATION OF THIS PRODUCT WITH RESPECT TO SAFETY, HEALTH, AND ENVIROMENTAL USE. IT IS THE RESPONSIBILITY OF THE BUYER AND END USER TO DETERMINE THE DATA, INFORMATION WITH RESPECT TO APPLICABLE LAWS AND REGULATIONS, AND THE FITNESS & CHARACTER OF THIS PRODUCT PRIOR TO FULL SCALE USE. UNIVERSAL PHOTONICS AND OR NUVITE CHEMICAL COMPOUNDS (SELLER) ASSUMES NO LEGAL LIABILITY FOR ANY INJURY, ACCIDENT, LOSS OR DAMAGE THROUGH THE USE OF THIS PRODUCT OF WHICH SUCH USES ARE BEYOND SELLER'S CONTROL.extractor.03.16.sds