

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

This Safety Data Sheet (SDS) complies with the requirements of Annex II of Regulation (EC) No. 1907/2006 of the European Parliament and of the Council and subsequent amendments.

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 APPLICABLE PART: PC2221025LB, PC2221050LB, PC2221050OZ, PC222110LB, PC22211LB, PC222150LB, PC2241025LB, PC2241050LB, PC2241050OZ, PC224110LB, PC22411LB, PC224150LB, PC2271025LB, PC22711LB, PC227150LB, PC22841LB

1.2 IDENTITY: NU-SHINE-IIF7, NU-SHINE-IIF9, NU-SHINE-IIF10

1.3 INTENDED USE: POLISHING COMPOUNDS FOR METAL

1.4 SUPPLIER: Universal Photonics, Inc. FOR INFORMATION CALL  
85 Jetson Lane CUSTOMER SERVICE: (516) 935-4000  
Central Islip, NY 11722 DATE PREPARED: March 17, 2021

1.5 EMERGENCY CONTACT: Verisk 3E™ - ACCT # 3665 Access Code: 333748  
EMERGENCY TELEPHONE NUMBER: Domestic: 1-866-519-4752 International: +1-760-602-8700  
HOURS OF OPERATION: 24 Hours / 7 Days per week

### SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF SUBSTANCE: SKIN IRRITATION 2, EYE IRRITATION 2A, RESPIRATORY STOT SE3, CARCINOGENIC 1B.

See Section 8 for individual components.

2.2 GHS LABEL ELEMENTS:



HAZARD PICTOGRAMS:

HAZARD SYMBOL:

GHS08 / GHS07

SIGNAL WORD:

DANGER

HAZARD STATEMENTS:

H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H350: May cause cancer.

PREVENTION PRECAUTIONARY STATEMENTS:

P261: Avoid breathing dust/fumes/mist/vapors/spray.  
P262: Do not get in eyes, on skin, or on clothing.  
P264: Wash hands thoroughly after handling.  
P280: Wear protective gloves/ protective clothing/eye protection.



85 JETSON LANE, CENTRAL ISLIP, NEW YORK 11722

516.935.4000 FAX 516.935.4039

WWW.NUVITECHEMICAL.COM

WWW.UNIVERSALPHOTONICS.COM

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

RESPONSE PRECAUTIONARY STATEMENTS:

P302 + P352 + P313: IF ON SKIN: Wash with plenty of water. Get medical attention / advice.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists, get medical advice/attention.

P301 + P315: IF SWALLOWED: Get immediate medical advice / attention.

STORAGE PRECAUTIONARY STATEMENTS:

P405: Store in a locked container.

Keep container tightly closed when not in use. Do not return spent material back to original container.

DISPOSAL PRECAUTIONARY STATEMENTS:

P501: Dispose of contents/containers in accordance with local / regional / national / international regulations

2.3 HAZARDS NOT OTHERWISE CLASSIFIED:

None known.

2.4 UNKNOWN ACUTE TOXICITY:

None known.

### SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

3.1 MIXTURES:

COMPONENTS	IDENTIFIER	CLASSIFICATION *	WEIGHT %
DISTILLATES (PETROLEUM) HYDROTREATED LIGHT	(CAS #) 64742-47-8 (EC #) 265-149-8	ASPIRATION TOXICITY 1: H304; SKIN IRRITATION 2: H315; STOT SE 3 (CNS): H336; AQUATIC CHRONIC 2: H411	15 - 20
ALUMINA*	(CAS #) 1344-28-1 (EC #) 215-691-6	RESPIRATORY STOT SE 3: H335	15 - 20
SILICON CARBIDE**	(CAS #) 409-21-2 (EC #) 206-991-8	SKIN IRRITATION 2: H315; EYE IRRITATION 2: H319; STOT RE1 (LUNG) H372 CARCINOGENIC 1B: H350	10 - 20

**NOTE:** \*Alumina and Silicon Carbide dust is minimized through the viscous embodiment of the product.

\*\*Note: Silicon Carbide (non-fibrous / non-whisker) particulate matter containing no asbestos or crystalline silica.

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### SECTION 4: FIRST AID MEASURES

#### 4.1 DESCRIPTION OF FIRST AID MEASURES:

SKIN:	Remove soiled clothing and flush with soap and water.
EYES:	Flush with water for 20 minutes and remove contact lenses if safe to do. Immediately seek medical attention.
INHALATION:	Administer fresh air or oxygen.
INGESTION:	Immediately seek medical attention.

#### 4.2 MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:

SKIN CONTACT:	May cause dryness, irritation and defatting during prolonged contact.
EYE CONTACT:	Will cause abrasive irritation upon direct contact.
INHALATION:	Breathing high concentrations of dried dust residues may irritate nose and throat.
INGESTION:	Will cause serious gastric disturbances.
ENVIRONMENT:	None known.
CHRONIC:	None known.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

Immediately contact physician for further medical advice.

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA:	Water spray, foam, dry chemical, CO <sub>2</sub> .
UNSUITABLE EXTINGUISHING MEDIA:	None known.

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### 5.2 SPECIFIC HAZARDS ARISING FROM THE MIXTURE:

FIRE HAZARD:	None.
EXPLOSION HAZARD:	None.
REACTIVITY:	None.
EXPOSURE HAZARDS:	Oxides of carbon.
UNUSUAL FIRE/EXPLOSION HAZARD:	None.

5.3 SPECIAL PROTECTIVE EQUIPMENT: **Wear full protective safety equipment as standard practice.**

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

NON-EMERGENCY PERSONNEL:	<b>Wear appropriate personal protective equipment (PPE). Avoid contact with skin and eyes. Do not walk through spilled material. Provide ventilation with sufficient face velocity to maintain PEL below standard. Supplement with appropriate organic vapor &amp; dust respirator when ventilation is inadequate.</b>
EMERGENCY RESPONDERS:	<b>Take note of any special instructions in Section 8.</b>

6.2 ENVIRONMENTAL PRECAUTIONS: **Do not introduce material directly into natural waterways such as rivers, lakes, streams, etc., or drains and sewers.**

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP:

SMALL SPILL:	<b>Stop leak if safe to do so. Use inert absorbent material and dispose in proper chemical waste container, or transfer to approved waste treatment areas. Prevent spills from entering all open waterways.</b>
LARGE SPILL:	<b>Stop leak if safe to do so. Approach release from upwind. Prevent entry into sewers or natural waterways. Contain and collect with inert absorbent material and place in container for disposal according to local regulations (See Section 13). Dispose via a licensed waste disposal contractor.</b>

6.4 REFERENCE TO OTHER SECTIONS: **See Section 8, Exposure Controls and Personal Protection.**

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING: Minimize exposure to vapors or dusts. Use recognized standard safety practices to include adequate ventilation. Handle with care to avoid contact. Wash with soap & water after handling. Use recognized standard safety practices. Provide sufficient air exchange and exhaust in work areas. Eyewash station should be in close proximity to work area.

7.2 CONDITIONS FOR SAFE STORAGE: When not in use, keep closure on container tightly closed. Store indoors. Keep away from heat and freezing conditions.

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS: **FOR INGREDIENTS**

COMPONENTS	COMPONENT IDENTIFIERS	WORKPLACE EXPOSURE LIMIT (WEL)				SUPPLEMENTAL EXPOSURE LIMIT VALUES	BASIS
		LTEL		STEL			
		PPM	MG/M3	PPM	MG/M3		
DISTILLATES (PETROLEUM) HYDROTREATED LIGHT	(CAS #) 64742-47-8 (EC #) 265-149-8	---	----	----	----	500 ppm TWA RESPIRABLE DUST  200 ppm TWA TOTAL	OSHA  ACGIH
ALUMINUM OXIDE	(CAS #) 1344-28-1 (EC #) 215-691-6	---	----	----	----	15 mg/m3 TWA  1 mg/m3 TLV	OSHA (TABLE Z-1 AIR)  ACGIH
SILICON CARBIDE	(CAS #) 409-21-2 (EC #) 206-991-8	---	----	----	----	15 mg/m3 TWA TOTAL DUST 5 mg/m3 TWA RESPIRABLE  10 mg/m3 TLV - PARTICULATE MATTER CONTAINING NO ASBESTOS AND <1% CRYSTALLINE SILICA	OSHA  ACGIH

**NOTE:** \*Alumina and Silicon Carbide dust is minimized through the viscous embodiment of the product.

**\*\*Note:** Silicon Carbide (non-fibrous / non-whisker) particulate matter containing no asbestos or crystalline silica.

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### 8.2 EXPOSURE CONTROLS:

#### CONTROL PARAMETERS:

General ventilation with adequate face velocity to control worker exposure to airborne contaminants below PEL. Supplement with NIOSH approved organic vapor cartridge respirator. Insure that emergency eyewash stations are in the immediate vicinity of any potential exposure.

#### ENGINEERING CONTROLS:

If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust or other engineering controls to keep worker exposure below any recommended or statutory limits.

#### PERSONAL PROTECTIVE CONTROLS:

#### HYGIENE MEASURES:

Wash hands, forearms and face thoroughly after handling product. Remove contaminated clothing and wash before reusing. Insure that eyewash stations and safety showers are close to the workstation location.

#### SKIN PROTECTION:

Chemical-resistant, impervious gloves are recommended if exposure is prolonged—neoprene type. Inspect gloves on a routine basis for retention of properties. Personal protective clothing for the body should be selected based upon the task being performed.

#### EYES:

Avoid eye contact. Protective safety eyewear goggles are recommended to avoid exposure to liquid splashes, mists, and dusts, or when working on overhead structures if direct contact is evident. . Face shield is also recommended if splashing is evident.

#### RESPIRATORY:

Should vapors exceed permissible exposure limit (PEL), wear NIOSH-approved dust and organic vapor respirator.

### 8.3 PERSONAL PROTECTIVE EQUIPMENT (PPE):



## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Paste.
COLOR:	Grey.
ODOR:	Solvent.
ODOR THRESHOLD:	Not determined.
pH:	8.5 – 9.5 @ 25°C.
SOLUBILITY:	Dispersible.
FLASH POINT:	99 °C / 210 °F.
LOWER FLAMMABLE LIMIT:	None.
UPPER FLAMMABLE LIMIT:	None.
AUTO IGNITION TEMPERATURE:	Not applicable.
DECOMPOSITION TEMPERATURE:	Not applicable.
FLAMMABILITY:	Not applicable.
SPECIFIC GRAVITY:	1.12- 1.20 @25 °C.
BOILING POINT:	100 °C / 212 °F.
VAPOR PRESSURE:	18 mm Hg @ 20 °C.
VAPOR DENSITY:	Greater than 1 (Air = 1).
MELTING POINT:	Not applicable.
FREEZING POINT:	Not determined.
EVAPORATION RATE:	Less than 1 (n-Butyl Acetate = 1).
VISCOSITY:	Not determined.
PARTITION COEFFICIENT n-OCTANOL / WATER:	Not determined.



## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY:	None.
10.2 CHEMICAL STABILITY:	Stable.
10.3 HAZARDOUS REACTIONS:	Reacts with powerful oxidizing agents.
10.4 CONDITIONS TO AVOID:	None.
10.5 INCOMPATIBLE MATERIALS:	Strong acids and oxidizing agents may cause fires.
10.6 HAZARDOUS DECOMPOSITION OF PRODUCTS:	None.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS: FOR INGREDIENTS

DISTILLATES (PETROLEUM) HYDROTREATED LIGHT (CAS # 64742-47-8)	
LD50 Oral Rat	>5,000 mg/kg
LD50 Dermal Rabbit	>2,000 mg/kg
LC50 Inhalation Rat	NO DATA

ALUMINUM OXIDE (CAS # 1344-28-1)	
LD50 Oral Rat	>10,000 mg/kg
LD50 Dermal Rabbit	NO DATA
LC50 Inhalation Rat	>2.3 mg/kg, 4 Hr.

SILICON CARBIDE (CAS #409-21-2)	
LD50 Oral Rat	>2,000 mg/kg
LD50 Dermal Rabbit	NO DATA
LC50 Inhalation Rat	NO DATA



## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### ACUTE TOXICITY FOR PRODUCT:

ACUTE TOXICITY:	NO KNOWN EFFECT
SKIN CORROSION/IRRITATION:	CAUSES SKIN IRRITATION
SERIOUS EYE DAMAGE / IRRITATION:	CAUSES SERIOUS EYE IRRITATION
RESPIRATORY OR SKIN SENSITISATION:	NO KNOWN EFFECT
GERM CELL MUTAGENICITY:	NO KNOWN EFFECT
CARCINOGENICITY:	MAY CAUSE CANCER
REPRODUCTIVE TOXICITY:	NO KNOWN EFFECT
SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:	MAY CAUSE RESPIRATORY IRRITATION
SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:	NO KNOWN EFFECT
ASPIRATION HAZARD:	NO KNOWN EFFECT

### 11.2 SYMPTOMS / ROUTES OF EXPOSURE:

SKIN:	Irritation, dryness, redness. Dryness or cracking of skin during prolonged contact.
EYES:	Causes severe irritation, pain, watering, burning, redness.
RESPIRATORY:	Will irritate nose and throat when breathing concentrations of dust.
INGESTION:	Will cause serious gastric disturbances.

### 11.3 CHRONIC HEALTH EFFECTS:

No known significant effects or critical hazards.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY:

ECOTOXICITY VALUES: INFORMATION FOR INGREDIENTS

DISTILLATES (PETROLEUM) HYDROTREATED LIGHT (CAS # 64742-47-8)	
Oncorhynchus mykiss	LL50 = 25 ml/l, 96 HR.
Daphnia magna	EL50 = 1.4 mg/l, 48 HR
Pseudokirchneriella subcapitata	EL50 = 1 mg/l, 72 HR

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

ALUMINUM OXIDE (CAS #1344-28-1)	
Salmo trutta	NOEC: 2 mg/l, 96 Hr.
Daphnia magna	EL50: 1.4 mg/l, 48 Hr.
Selenastrum capricornutum	NOEC: >72 mg/l, 72 Hr.

SILICON CARBIDE (CAS #409-21-2)	
Salmo trutta	NO DATA
Daphnia magna	NO DATA
Selenastrum capricornutum	NO DATA

- 12.2 PERSISTENCE AND DEGRADABILITY: **Not considered to be a waste or environmental hazard.**
- 12.3 BIOACCUMULATIVE POTENTIAL: **Not expected to bioaccumulate.**
- 12.4 MOBILITY IN SOIL: **Not determined.**
- 12.5 RESULTS OF PBT and vPvB ASSESSMENT: **This product is not identified as a PBT/vPvB substance.**
- 12.6 OTHER ADVERSE EFFECTS: **No known significant effects or critical hazards.**

### SECTION 13: DISPOSAL INFORMATION

- 13.1 WASTE TREATMENT METHODS: **For small spills, contain all residues with inert absorbent material and dispose in chemical recycle container. For large spills, stop leak if safe to do so. Approach release from upwind. Dyke or dam area and vacuum all wet areas for recycle by a licensed waste disposal contractor. Avoid contact with soil, waterways, drains, and sewers unless such drains and sewers are fully compliant with the requirements of all authorities for disposal. Consult all federal, state, and local regulatory authorities for proper disposal.**

**Must be disposed of in accordance with local and national regulations. Arrange for collection by specialized disposal company. Contaminated packaging must be disposed of in the same way as the product.**

**EWC Waste code number: 12-01-99**

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### SECTION 14: TRANSPORTATION INFORMATION

REGULATORY INFORMATION	UN NUMBER	PROPER SHIPPING NAME	CLASSES	PACKING GROUP	LABEL	ADDITIONAL INFORMATION
DOT CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
TDG CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
ADR/RID CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
IMDG CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
IATA / IACO CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE

### SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE.  
SPECIFIC REGULATIONS:

REGULATION (EC) 1907/2006 – REACH (ANNEX X1V)  
EC REGULATIONS 1272/2008 – CLP  
EH40 / 2005 – WORKPLACE EXPOSURE LIMITS (WHERE APPLICABLE)  
CONTROL OF SUBSTANCE HAZARDOUS TO HEALTH – COSHH  
DANGEROUS SUBSTANCES AND EXPLOSIVE ATMOSPHERE REGULATIONS - DSEAR

REGULATION (EC) – REACH ANNEX (XIV) ARTICLE 59(10) AUTHORIZATIONS AND / OR RESTRICTIONS ON USE:  
**Contains the following REACH (SVHC) Candidate Substances: NONE.**

REGULATION (EC) 2015/863 – RoHS  
**Contains the following RoHS Substances: NONE**

NATIONAL REGULATIONS: **Non-regulated per EINECS / ELINCS / DSL / NDSL / IECSC / ENS / ECL / PICCS.**

15.2 CHEMICAL SAFETY ASSESSMENT: **Chemical safety assessments have not been performed for this product.**

### SECTION 16: OTHER INFORMATION

**THIS SAFETY DATA SHEET IS PREPARED IN ACCORDANCE WITH COMMISSION REGULATION (EC) NO 1907/2006.  
FULL TEXT OF H-STATEMENTS AS MENTIONED IN SECTION 2 AND SECTION 3:**

H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H336: May cause drowsiness or dizziness.  
H350: May cause cancer.  
H372: Causes damage to organs through prolonged or repeated exposure.  
H411: Toxic to aquatic life with long lasting effects.



85 JETSON LANE, CENTRAL ISLIP, NEW YORK 11722

516.935.4000 FAX 516.935.4039

WWW.NUVITECHEMICAL.COM

WWW.UNIVERSALPHOTONICS.COM

## SAFETY DATA SHEET: NU-SHINE II (F7,F9,F10)

### DEFINITIONS:

ACGIH:	American Conference of Governmental Industrial Hygienists
ADR/RID:	International carriage of dangerous goods by road or rail
CLP:	Classification, Labeling and packaging
DOT:	Department of Transportation
EC:	Commission Regulation (European Union)
ECHA:	European Chemicals Agency
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA/IACO:	International Air Transport Association / International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods
LTEL:	Long Term Exposure Limit
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
REACH:	Registration, Evaluation, Authorization and Restriction (European Union)
SARA:	Superfund Amendments and Reauthorization Act
STEL:	Short Term Exposure Limit
SVHC:	Substances of Very High Concern (European Union)
TDG:	Transportation of dangerous goods -- Canada
WEL:	Workplace Exposure Limit

Date prepared: 17th March 2021

Version: EU13.0

### DISCLAIMER

Information included herein was obtained from sources which Universal Photonics, Inc. believes are reliable and accurate as of the date hereof. HOWEVER, NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREIN AS TO THE INFORMATION PROVIDED, OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The health and safety precautions contained herein may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Universal Photonics, Inc. ASSUMES NO LEGAL LIABILITY FOR ANY INJURY, ACCIDENT, LOSS, OR DAMAGE THROUGH THE USE OF THIS PRODUCT.