

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

## SAFETY DATA SHEET: NU-IMAGE

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

1.1 APPLICABLE PART #: PC23001GL, PC23001PT, PC23001QT, PC23005GL, PC230055GL, PC2300S, PC2300S2,

PC23008OZ

1.2 IDENTITY: NU-IMAGE

1.3 INTENDED USE: POLISH / LIQUID DEBUGGER

1.4 SUPPLIER: Universal Photonics, Inc. FOR INFORMATION CALL

85 Jetson Lane CUSTOMER SERVICE: (516) 935-4000 Central Islip, NY 11722 DATE PREPARED: May 3, 2018

1.5 EMERGENCY TELEPHONE NUMBER: 1-800-360-3220 Verisk 3E™ - ACCT # 3665

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 CLASSIFICATION OF SUBSTANCE: RESPIRATORY STOT RE1: H372; RESPIRATORY STOT SE 3: H336;

SKIN IRRITATION 2: H315; EYE IRRITATION 2: H319; AQUATIC CHRONIC 2: H411.

See Section 8 for individual components.

2.2 GHS LABEL ELEMENTS:







HAZARD PICTOGRAMS:

HAZARD SYMBOL: GHS08 / GHS07/ GHS09

SIGNAL WORD: DANGER.

HAZARD STATEMENTS: H315: Causes skin irritation.

H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

H372: Causes damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

PREVENTION PRECAUTIONARY

STATEMENTS:

P261: Avoid breathing dust/fumes/mist/vapors/spray. P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection.

Wear protective gloves. Wear eye protection to include splash goggles. Wear

protective clothing. Use with ventilation. Wash hands after handling.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

RESPONSE PRECAUTIONARY STATEMENTS:

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists, get medical advice/attention.

P301 + P331 + P315: IF SWALLOWED: Do NOT induce vomiting. Get immediate

medical advice/attention.

In the event of skin, eye, respiratory contact or ingestion, seek medical attention

immediately.

STORAGE PRECAUTIONARY

STATEMENTS:

P404: Store in a closed container.

Keep container tightly closed when not in use. Do not return spent material back to

original container.

**DISPOSAL PRECAUTIONARY** 

STATEMENT:

P501: Dispose of contents/containers in accordance with

local/regional/national/international regulations.

2.3 HAZARDS NOT

OTHERWISE CLASSIFIED:

None known.

2.4 UNKNOWN ACUTE

TOXICITY:

None known.

## SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

COMPONENTS	CAS#	CLASSIFICATION	WEIGHT %
STODDARD NAPHTHA (PETROLEUM) HEAVY ALIPHATIC	64742-96-7	ASPIRATION TOXICITY 1: H304; STOT SE 3 (CNS): H336; SKIN IRRITATION 2: H315; AQUATIC CHRONIC 2: H411	19
KAOLIN**	1332-58-7	SKIN IRRITATION 2: H315; EYE IRRITATION 2: H319; STOT RE 1 (LUNG): H372	18
TRADE SECRET INFORMATION* N/A		PROPRIETARY	63

NOTE:

<sup>\*</sup> Non-regulated components are proprietary, confidential, and trade secret.

<sup>\*\*</sup> Note: Kaolin dust is minimized through the viscous embodiment of the product.



# 85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

## **SECTION 4: FIRST AID MEASURES**

4.1 DESCRIPTION OF FIRST AID MEASURES:

SKIN: Remove soiled clothing and flush with soap and water.

EYES: Flush with water for 20 minutes and remove contact lenses if safe to do. Immediately seek

medical attention.

INHALATION: Administer fresh air or oxygen.

INGESTION: DO NOT induce vomiting. Immediately seek medical attention. If vomiting does occur, keep

head low so that vomit does not enter the lungs. Maintain an open airway.

4.2 MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:

SKIN CONTACT: May cause dryness, irritation and defatting.

EYE CONTACT: Will cause severe irritation upon direct contact.

INHALATION: Breathing high concentrations of dried dust residues may irritate nose and throat.

INGESTION: Will cause serious gastric disturbances.

ENVIRONMENT: None known.

CHRONIC: None known.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

Immediately contact physician for further medical advice.

## **SECTION 5: FIRE FIGHTING MEASURES**

5.1 EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA: Water spray, foam, dry chemical, CO<sub>2</sub>.

UNSUITABLE EXTINGUISHING MEDIA: None known.

5.2 SPECIFIC HAZARDS ARISING FROM THE MIXTURE:

FIRE HAZARD: None.

EXPLOSION HAZARD: None.

REACTIVITY: None.



85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

## SAFETY DATA SHEET: NU-IMAGE

EXPOSURE HAZARDS: Oxides of carbon.

UNUSUAL FIRE/EXPLOSION HAZARD: None.

5.3 SPECIAL PROTECTIVE EQUIPMENT: Wear full protective safety equipment as standard practice.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

NON-EMERGENCY PERSONNEL: Wear appropriate personal protective equipment (PPE). Avoid contact with skin and

eyes. Do not walk through spilled material. Provide adequate ventilation. Wear

appropriate respirator when ventilation is inadequate.

EMERGENCY RESPONDERS: Take note of any special instructions in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS: Do not introduce material directly into natural waterways such as rivers, lakes,

streams, etc., or drains and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP:

SMALL SPILL: Stop leak if safe to do so. Use inert absorbent material and dispose in proper chemical

waste container, or transfer to approved waste treatment areas.

LARGE SPILL: Stop leak if safe to do so. Approach release from upwind. Prevent entry into sewers or

natural waterways. Contain and collect with inert absorbent material and place in container for disposal according to local regulations (See Section 13). Dispose via a

licensed waste disposal contractor.

6.4 REFERENCE TO OTHER SECTIONS: See Section 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

7.1 PRECAUTIONS FOR SAFE HANDLING: Use recognized standard safety practices. Handle with care to avoid contact.

7.2 CONDITIONS FOR SAFE STORAGE: When not in use, keep closure on container tightly closed. Store indoors.

Keep away from heat and freezing conditions.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS: FOR INGREDIENTS

COMPONENTS	CAS#	TLV (UNITS)
SOLVENT NAPHTHA	64742-96-7	500 ppm TWA RESPIRABLE DUST (OSHA)
(PETROLEUM) HEAVY ALIPHATIC	04/42-30-/	200 ppm TWA TOTAL (ACGIH)
		5 mg/m3 RESPIRABLE PEL (OSHA)
KAOLIN	1332-58-7	15 mg/m3 TOTAL DUST PEL (OSHA)
		2 mg/m3 TWA TLV (ACGIH)

8.2 EXPOSURE CONTROLS:

CONTROL PARAMETERS: General ventilation to control worker exposure to airborne contaminants. Ensure that

emergency eyewash stations are in the immediate vicinity of any potential exposure.

ENGINEERING CONTROLS: If user operations generate dust, fumes, vapor or mist, use process enclosures, local

exhaust or other engineering controls to keep worker exposure below any

recommended or statutory limits.

PERSONAL PROTECTIVE CONTROLS:

HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling product. Remove

contaminated clothing and wash before reusing. Ensure that eyewash stations and

safety showers are close to the workstation location.

SKIN PROTECTION: Chemical-resistant, impervious gloves are recommended if exposure is prolonged-

neoprene type. Personal protective clothing for the body should be selected based

upon the task being performed.

EYES: Avoid eye contact. Protective safety eyewear goggles are recommended to avoid

exposure to liquid splashes, mists, and dusts, or when working on overhead structures

if direct contact is evident.

RESPIRATORY: Should vapors exceed permissible exposure limit (PEL), wear NIOSH-approved dust

and organic vapor respirator.

#### 8.3 PERSONAL PROTECTIVE EQUIPMENT (PPE):











WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Viscous liquid / cream.

COLOR: Grey.

ODOR: Solvent.

ODOR THRESHOLD: Not determined.

pH: 9.4 – 9.9 Concentrate @ 25°C.

SOLUBILITY: Dispersible.

FLASH POINT: 61°C / 142°F.

LOWER FLAMMABLE LIMIT: None.

UPPER FLAMMABLE LIMIT: None.

AUTO IGNITION TEMPERATURE: Not applicable.

DECOMPOSITION TEMPERATURE: Not applicable.

FLAMMABILITY: Not applicable.

SPECIFIC GRAVITY: 0.95 @ 2 °C.

BOILING POINT: 100°C / 212°F.

VAPOR PRESSURE: 18 mm Hg @ 20°C.

VAPOR DENSITY: Greater than 1 (Air = 1).

MELTING POINT: Not applicable.

FREEZING POINT: Not determined.

EVAPORATION RATE: Not applicable.

VISCOSITY: Not determined.

PARTITION COEFFICIENT n-OCTANOL / WATER:

Not determined.



# 85 Jetson Lane, Central Islip, New York 11722 516.935.4000 Fax 516.935.4039

WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 REACTIVITY: None.

10.2 CHEMICAL STABILITY: Stable.

10.3 HAZARDOUS REACTIONS: Reacts with powerful oxidizing agents.

HAZARDOUS POLYMERIZATION: None.

10.4 CONDITIONS TO AVOID: None.

10.5 INCOMPATIBLE MATERIALS: Strong acids and oxidizing agents may cause fires.

10.6 HAZARDOUS DECOMPOSITION

OF PRODUCTS:

None.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

NOTE: Primary route of entry is through skin. Secondary route is through inhalation.

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS: FOR INGREDIENTS

SOLVENT NAPHTHA (PETROLEUM) HEAVY ALIPHATIC (64742-96-7)			
LD50 Oral Rat	> 5,000 mg/kg		
LD50 Dermal Rabbit	> 2,000 mg/kg		
LC50 Inhalation Rat	NO DATA		

KAOLIN (1332-58-7)			
LD50 Oral Rat	> 5,000 mg/kg		
LD50 Dermal Rabbit	> 5,000 mg/kg		
LC50 Inhalation Rat	> 46 mg/l, l hr.		

ACUTE TOXICITY FOR PRODUCT: (See Section 11.3).

LD50: Not determined for mixture.

SKIN: Not determined for mixture.

INHALATION: Not determined for mixture.

INGESTION: Not determined for mixture.



WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

#### 11.2 POTENTIAL ACUTE HEALTH EFFECTS:

SKIN: Possible irritation and drying during prolonged contact.

EYES: Will cause severe irritation and possible cornea damage upon direct contact.

RESPIRATORY: Will irritate nose and throat when breathing high concentrations of dust.

INGESTION: Will cause serious gastric disturbances.

SYMPTOMS AFTER CONTACT:

SKIN: Irritation, dryness, redness.

EYES: Pain, watering, burning, redness, severe irritation.

RESPIRATORY: Irritation, asthmatic systems, dizziness.

INGESTION: Stomach pain, gastric disturbances.

11.3 CHRONIC HEALTH

EFFECTS: No known significant effects or critical hazards.

11.4 CARCINOGENICITY:

NTP: None.

IARC: None.

OSHA: None.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 TOXICITY: **INFORMATION FOR INGREDIENTS** 

SOLVENT NAPHTHA (PETROLEUM) HEAVY ALIPHATIC (64742-96-7)			
Oncorhynchus mykiss	EL50 = 25 mg/l, 96 hr.		
Daphnia magna	EL50 = 1.4 mg/l, 48 hr.		
Pseudokirchneriella subcapitata	EL50 = 1 mg/l, 72 hr.		

KAOLIN (1332-58-7)			
Oncorhynchus mykiss	LC50 = 100 mg/l, 96 hr.		
Daphnia magna	LC50 = 1,100 mg/l, 48 hr.		
Scenedesmus subspicatus	LC50 = 1,100 mg/l, 72 hr.		



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

12.2 PERSISTENCE AND DEGRADABILITY: Not considered to be a waste or environmental hazard.

12.3 BIOACCUMULATIVE POTENTIAL: Not expected to bioaccumulate.

12.4 MOBILITY IN SOIL: Not determined.

12.5 RESULTS OF PBT and vPvB

ASSESSMENT:

Not determined.

12.6 OTHER ADVERSE EFFECTS: No known significant effects or critical hazards.

#### **SECTION 13: DISPOSAL INFORMATION**

13.1 WASTE TREATMENT METHODS:

For small spills, contain all residues with inert absorbent material and dispose in chemical recycle container. For large spills, stop leak if safe to do so. Approach release from upwind. Dyke or dam area and vacuum all wet areas for recycle by a licensed waste disposal contractor. Avoid contact with soil, waterways, drains, and sewers unless such drains and sewers are fully compliant with the requirements of all authorities for disposal. Consult all federal, state, and local regulatory authorities for proper disposal.

#### **SECTION 14: TRANSPORTATION INFORMATION**

REGULATORY INFORMATION	UN NUMBER	PROPER SHIPPING NAME	CLASSES	PACKING GROUP	LABEL	ADDITIONAL INFORMATION
DOT CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	IF BY WATER SEE IMDG
TDG CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
ADR/RID CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE
IMDG CLASSIFICATION	UN-3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III	MARINE POLLUTANT	F-A, S-F
IATA / IACO CLASSIFICATION	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	NONE	NONE



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

## **SECTION 15: REGULATORY INFORMATION**

15.1 U.S. FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION

STANDARD:

Non-regulated.

TSCA: All ingredients are listed on the TSCA inventory.

SARA (302/304): Non-regulated.

SARA (311/312): Acute / delayed health.

SARA TITLE III (313): This product contains the following chemicals subject to the reporting requirements of

Section 313: NONE.

OTHER REGULATORY STANDARDS: Non-regulated per 29 CFR 1900.1000 - 1500, 40 CFR PART 261.3, 302.4, 355, 370, 372.

15.2 STATE REGULATIONS: CALIFORNIA PROPOSITION 65: This product contains the following chemicals known

by the state of California to cause cancer, birth defects, or any other reproductive

harm: NONE.

15.3 INTERNATIONAL REGULATIONS: Non-regulated per EINECS / ELINCS / DSL / NDSL / IECSC / ENS / ECL / PICCS.



> WWW.NUVITECHEMICAL.COM WWW.UNIVERSALPHOTONICS.COM

# SAFETY DATA SHEET: NU-IMAGE

#### **SECTION 16: OTHER INFORMATION**

HMIS RATING: Health 2, Flammability 2, Reactivity 0, Personal Protection H

NFPA RATING: Health 2, Flammability 2, Reactivity 0



#### **DEFINITIONS**:

ACGIH: American Conference of Governmental Industrial Hygienists
ADR/RID: International carriage of dangerous goods by road or rail

DOT: Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA/IACO: International Air Transport Association / International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods
NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration
SARA: Superfund Amendments and Reauthorization Act
TDG: Transportation of dangerous goods -- Canada

TSCA: Toxic Substance Control Act

#### **DISCLAIMER**

Information included herein was obtained from sources which Universal Photonics, Inc. believes are reliable and accurate as of the date hereof. HOWEVER, NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREIN AS TO THE INFORMATION PROVIDED, OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The health and safety precautions contained herein may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Universal Photonics, Inc. ASSUMES NO LEGAL LIABILITY FOR ANY INJURY, ACCIDENT, LOSS, OR DAMAGE THROUGH THE USE OF THIS PRODUCT.